

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
Terry L. Bowersock	28341/6127NDIV1	6143	
72005	EXAM	EXAMINER	
MARSHALL, GERSTEIN & BORUN LLP 233 S. WACKER DRIVE, SUITE 6300 SEARS TOWER		KIM, YUNSOO	
		PAPER NUMBER	
	1644		
	Terry L. Bowersock 2/2005 E BORUN LLP	Terry L. Bowersock 28341/6127NDIV1 272005 EXAM 2 BORUN LLP TE 6300 ART UNIT	

DATE MAILED: 07/22/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)		
Office Action Summany	10/705,660	BOWERSOCK ET AL.		
Office Action Summary	Examiner	Art Unit		
	Yunsoo Kim	1644		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).				
Status				
1)⊠ Responsive to communication(s) filed on 10 November 2003.				
	action is non-final.			
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.				
Disposition of Claims				
4) ⊠ Claim(s) 1-34 and 43-78 is/are pending in the 4a) Of the above claim(s) is/are withdraw 5) □ Claim(s) is/are allowed. 6) □ Claim(s) is/are rejected. 7) □ Claim(s) is/are objected to. 8) ⊠ Claim(s) 1-34 and 43-78 are subject to restriction	wn from consideration.			
Application Papers	e.			
9) The specification is objected to by the Examiner.				
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.				
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.				
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s)				
1) Notice of References Cited (PTO-892)	4) Interview Summary Paper No(s)/Mail Da			
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 		atent Application (PTO-152)		

Application/Control Number: 10/705,660 Page 2

Art Unit: 1644

DETAILED ACTION

1. Applicants' amendment filed on 11/10/03 has been entered.

Claims 35-42 have been canceled.

Claims 1, 4, 5, 21, 28, 31 and 34 have been amended.

Claims 43-78 have been added.

Claims 1-34 and 43-78 are pending.

- 2. This application contains claims directed to the following patentably distinct species of the claimed invention. The distinct species are the identity of the cellulose ether, non-ionic surfactants, cations and mucosal adjuvants.
 - i) Applicant is required to elect a single disclosed species of cellulose ether from examples recited in claims 3 and 46 (i.e. ethylcellulose),
 - ii) Applicant is required to elect a non-ionic surfactant and ultimate species from claims 4-10 and 47-53 (i.e. polyoxyethylene surfactant (alcohol ethoxylate)),
 - iii) Applicant is also required to elect a single species of cation from claims 15-18 and 58-61 (i.e. CaCl₂) and
 - iv) Applicant is further required to elect a single species of adjuvant from claims 27 and 70 (i.e. lectin).
- 3. Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable.

 Currently, claims 1, 43, 44 and 78 are generic.
- 4. Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Application/Control Number: 10/705,660

Page 3

Art Unit: 1644

5. Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

- 6. Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.
- 7. Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).
- 8. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).
- 9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yunsoo Kim whose telephone number is 571-272-3176. The examiner can normally be reached on M-F,9-5. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christina Chan can be reached on 571-272-0841. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 1644

Yunsoo Kim

Patent Examiner

Technology Center 1600

July 18, 2005

Patrick J. Nolan, Ph.D.

Page 4

Primary Examiner

Technology Center 1600